


Technical Data Sheet

STARTING BLOCK

MYRTHA TRACK START ABSOLUTE



BLUE

0628953 STARTING BLOCK MYRTHA TRACK START NUMBERS

- 0630922** STARTING BLOCK MYRTHA TRACK START '1'
- 0630944** STARTING BLOCK MYRTHA TRACK START '2'
- 0631012** STARTING BLOCK MYRTHA TRACK START '3'
- 0631051** STARTING BLOCK MYRTHA TRACK START '4'
- 0631056** STARTING BLOCK MYRTHA TRACK START '5'
- 0631057** STARTING BLOCK MYRTHA TRACK START '6'
- 0631094** STARTING BLOCK MYRTHA TRACK START '7'
- 0631096** STARTING BLOCK MYRTHA TRACK START '8'
- 0631098** STARTING BLOCK MYRTHA TRACK START '9'
- 0630757** STARTING BLOCK MYRTHA TRACK START '0'

BLACK

0630270 STARTING BLOCK MYRTHA TRACK START NUMBERS

- 0631889** STARTING BLOCK MYRTHA TRACK START '1'
- 0631933** STARTING BLOCK MYRTHA TRACK START '2'
- 0631951** STARTING BLOCK MYRTHA TRACK START '3'
- 0631959** STARTING BLOCK MYRTHA TRACK START '4'
- 0631968** STARTING BLOCK MYRTHA TRACK START '5'
- 0631983** STARTING BLOCK MYRTHA TRACK START '6'
- 0632003** STARTING BLOCK MYRTHA TRACK START '7'
- 0632008** STARTING BLOCK MYRTHA TRACK START '8'
- 0632011** STARTING BLOCK MYRTHA TRACK START '9'
- 0631785** STARTING BLOCK MYRTHA TRACK START '0'

Main Features

- Starting Block with top and back cover compliant with World Aquatics Competition Regulations.
- Track start adjustable in 5 positions with removable anti-slip SS blue plate (for maintenance).
- White PVC Top with removable Anti-slip SS blue plate (for maintenance).
- Predisposition for grounding connection of Anti-slip SS plates.
- Body in white PVC, numbered on the 4 faces with adhesive stickers.
- White Fiberglass back cover.
- Handles in blue PVC with horizontal and vertical grip.
- Fixing to the headwall with 6 screws M12X60 A4.
- Mechanical anchor Tam M12 for concrete headwall fixing (**not supplied with Starting Block**).
- Possibility to install false start plate by third part (Daktronics and Colorado).
- Possibility to install OSB12 Omega Top on the body.
- Possibility to install Omega false start plate (only with OSB12 Omega Top on the body).
- Not installable on existing 500 mm wide headwalls. In such case a special version without back cover is available.


0578565

Technical Data Sheet

STARTING BLOCK

MYRTHA TRACK START ABSOLUTE

Assembly drawing (0531034)




0578565

Technical Data Sheet

STARTING BLOCK


MYRTHA TRACK START ABSOLUTE

Dimensions and fixing holes (0628953_Dettagli)



0578565

Cross section and exploded view (0628953_Dettagli)



0578565

Technical Data Sheet

STARTING BLOCK

MYRTHA TRACK START ABSOLUTE

Technical Specification

Characteristics



Materials	Body	Rigid PVC
	Top	Rigid PVC - Stainless steel
	Handrails (Horizontal – Vertical)	Stainless steel 316 covered with PVC - PVC
	Fixing Screws	Stainless steel 316
Colours (visible components)	Body	White 182
	Top	White 182 and Blue/Black (anti-slip)
	Handrails (Horizontal – Vertical)	Blue/Black – White 182
Connections	Headwall/Bulkhead: screws 12x60 stainless steel 316	
	Concrete structure: mechanical anchor Tam M12	

Application

It can be used for competition pools with headwall or bulkhead.

Optional Accessories

Concerning this item, there is the possibility to order the following accessories:




	Connection for quick release system (in this case, on the headwall (or bulkhead) are needed apposite steel profiles and covers 0082849 and 0084075). Codice 0073350
	Lateral handles for starting block. Black Version Cod.0554355 Blue Version Cod. 0533829

0578565

Technical Data Sheet

STARTING BLOCK

MYRTHA TRACK START ABSOLUTE

	Cover for starting block. It's supplied with starting block, to be used only for further replacement. Codice 0011805	
	Complete white PVC Top with removable Anti-slip SS blue plates.	
	Blue Top (Complete) Cod.0624660 SS Plate Cod.0620874 SS Upper Plate Cod.0620873 M5 Screw Cod.0526249 (4+4 pcs)	Black Top (Complete) Cod.0630245 SS Plate Cod.0630243 SS Upper Plate Cod.0630244 M5 Screw Cod.0559812 (4+4 pcs)
	Back cover in fiberglass. It's supplied with starting block, to be used only for further replacement. Codice 0020174	
	Special version without back cover for existing 500 mm wide headwalls 0629275 BL/PART.MYRTHA TRACK START BIA (500) 0632516 BL/PART.MYRTHA TRACK START BIA -9- (500) 0632510 BL/PART.MYRTHA TRACK START BIA -8- (500) 0632505 BL/PART.MYRTHA TRACK START BIA -7- (500) 0632422 BL/PART.MYRTHA TRACK START BIA -6- (500) 0632394 BL/PART.MYRTHA TRACK START BIA -5- (500) 0632390 BL/PART.MYRTHA TRACK START BIA -4- (500) 0632365 BL/PART.MYRTHA TRACK START BIA -3- (500) 0632354 BL/PART.MYRTHA TRACK START BIA -2- (500) 0632352 BL/PART.MYRTHA TRACK START BIA -1- (500) 0632348 BL/PART.MYRTHA TRACK START BIA -0- (500)	

Inspection and maintenance

See specific instruction in the 'Myrtha Operations and Maintenance manual'.


Compliance with laws

Product complying with

- EN 13451-1 and EN 13451-4
- World Aquatics Competition Regulations

0578565

BLOCCO DI PARTENZA MYRTHA TRACK START ABSOLUTE



BLU

0628953 BLOCCO PARTENZA MYRTHA TRACK START NUMERI

0630922 BLOCCO PARTENZA MYRTHA TRACK START '1'
0630944 BLOCCO PARTENZA MYRTHA TRACK START '2'
0631012 BLOCCO PARTENZA MYRTHA TRACK START '3'
0631051 BLOCCO PARTENZA MYRTHA TRACK START '4'
0631056 BLOCCO PARTENZA MYRTHA TRACK START '5'
0631057 BLOCCO PARTENZA MYRTHA TRACK START '6'
0631094 BLOCCO PARTENZA MYRTHA TRACK START '7'
0631096 BLOCCO PARTENZA MYRTHA TRACK START '8'
0631098 BLOCCO PARTENZA MYRTHA TRACK START '9'
0630757 BLOCCO PARTENZA MYRTHA TRACK START '0'

NERO

0630270 BLOCCO PARTENZA MYRTHA TRACK START NUMERI


0631889 BLOCCO PARTENZA MYRTHA TRACK START '1'
0631933 BLOCCO PARTENZA MYRTHA TRACK START '2'
0631951 BLOCCO PARTENZA MYRTHA TRACK START '3'
0631959 BLOCCO PARTENZA MYRTHA TRACK START '4'
0631968 BLOCCO PARTENZA MYRTHA TRACK START '5'
0631983 BLOCCO PARTENZA MYRTHA TRACK START '6'
0632003 BLOCCO PARTENZA MYRTHA TRACK START '7'
0632008 BLOCCO PARTENZA MYRTHA TRACK START '8'
0632011 BLOCCO PARTENZA MYRTHA TRACK START '9'
0631785 BLOCCO PARTENZA MYRTHA TRACK START '0'

Caratteristiche principali


- Blocco di partenza con Top e Cover posteriore conforme al World Aquatics Competition Regulations
- Track start regolabile in 5 posizioni con lamiera antiscivolo blu removibile (per manutenzione).
- Top in PVC bianco con lamiera antiscivolo blu removibile (per manutenzione).
- Predisposizione Messa a Terra lamiere antiscivolo.
- Corpo in PVC bianco numerato sui quattro lati con stickers adesivi.
- Chiusura posteriore in VTR bianca.
- Maniglie in PVC blu con impugnatura orizzontale e verticale.
- Fissaggio alla testata con 6 viti M12X60 A4.
- Fissaggio alla testata in cemento con 6 tasselli TAM M12 (**non forniti con il blocco di partenza**).
- Predisposizione per piastra falsa partenza di terze parti (Colorado e Daktronics).
- Base del blocco compatibile con il Top Omega modello OSB12.
- Predisposizione per piastra falsa partenza Omega (installabile solo abbinata al Top Omega OSB12).
- Non installabile su testate esistenti larghe 500mm. In tal caso è disponibile una versione speciale senza chiusura posteriore.

0578565

Disegni installativi (0531034)



Dimensioni e forature (0628953_Dettagli)



Myrtha Pools – A Division of A&T Europe SpA
46043 Castiglione d/Stiviere (MN) Italy

Tel. +39 0376 94261 Fax +39 0376 631482
www.myrthapools.com info@myrthapools.com

Tel. +39 0376 94261 Fax +39 0376 631482
www.myrthapools.com info@myrthapools.com

BLOCCO DI PARTENZA MYRTHA TRACK START ABSOLUTE

Caratteristiche tecniche


Caratteristiche		
Materiali	Corpo	PVC Rigido
	Parte superiore	PVC Rigido + Acciaio inox
	Maniglie (orizzontali - verticali)	Acciaio inossidabile 316 coperto con PVC - PVC
	Viti di fissaggio	Acciaio inossidabile 316
Colori (Componenti visibili)	Corpo	Bianco 182
	Parte superiore	Bianco 182 e Blu/Nero (anti-slip)
	Maniglie (orizzontali - verticali)	Blu/Nero – Bianco 182
Conessioni	Testata/ponte mobile: viti inox 316 12x60	
	Struttura in cemento: ancoraggio meccanico Tam M12	

Applicazioni

Può essere usato per piscine da competizione sia su testate che su ponti mobili.




Accessori Opzionali

Riguardo questo articolo, è possibile ordinare i seguenti accessori:

	Conneessione per il Sistema a sgancio rapido (in questo caso, la testata (o ponte mobile) necessita di appositi profili in acciaio e coperture 0082849 e 0084075). Codice 0073350
	Maniglie laterali per blocco di partenza. Versione Nera Cod.0554355 Versione Blu Cod. 0533829

Scheda Tecnica

BLOCCO DI PARTENZA MYRTHA TRACK START ABSOLUTE

	Copertura per blocco di partenza. Codice già incluso nel blocco, da fornire solo per l'eventuale futura sostituzione. Codice 0011805	
	Top in PVC bianco completo con lamiere antiscivolo blu removibili.	
	Blu Top (Completo) Cod.0624660 Lamiera Piatto Cod.0620874 Lamiera Pinna Cod.0620873 Vite M5 Cod.0526249 (4+4 pz)	Nero Top (Completo) Cod.0630245 Lamiera Piatto Cod.0630243 Lamiera Pinna Cod.0630244 Vite M5 Cod.0559812 (4+4 pz)
	Copertura posteriore in VTR. Codice già incluso nel blocco, da fornire solo per l'eventuale futura sostituzione. Codice 0020174	
	Blocchi di partenza per testate da 500mm senza chiusura posteriore. 0629275 BL/PART.MYRTHA TRACK START BIA (500) 0632516 BL/PART.MYRTHA TRACK START BIA -9- (500) 0632510 BL/PART.MYRTHA TRACK START BIA -8- (500) 0632505 BL/PART.MYRTHA TRACK START BIA -7- (500) 0632422 BL/PART.MYRTHA TRACK START BIA -6- (500) 0632394 BL/PART.MYRTHA TRACK START BIA -5- (500) 0632390 BL/PART.MYRTHA TRACK START BIA -4- (500) 0632365 BL/PART.MYRTHA TRACK START BIA -3- (500) 0632354 BL/PART.MYRTHA TRACK START BIA -2- (500) 0632352 BL/PART.MYRTHA TRACK START BIA -1- (500) 0632348 BL/PART.MYRTHA TRACK START BIA -0- (500)	

Ispezione e manutenzione

Istruzioni specifiche sul manuale 'Myrtha Operations and Maintenance manual'.

Conformità normativa

Prodotto conforme alle norme

- EN 13451-1 e EN 13451-4
- World Aquatics Competition Regulations

0578565